







Product No.	Dimensions (mm)				
	d	D	F	L	H
D-KRS 06 B-1 13T	10	28	13,7	19	24,3
D-KRS 06 B-1 14T	10	31	13,7	19	24,3
D-KRS 06 B-1 15T	10	34	13,7	19	24,3
D-KRS 06 B-1 17T	10	40	13,7	19	24,3
D-KRS 06 B-1 18T	10	43	13,7	19	24,3
D-KRS 06 B-1 19T	10	46	13,7	19	24,3
D-KRS 06 B-1 20T	10	49	13,7	19	24,3
D-KRS 06 B-1 21T	12	52	13,7	19	24,3
D-KRS 06 B-1 23T	12	59	13,7	19	24,3
D-KRS 06 B-1 25T	12	65	13,7	19	24,3

Chain:

Pitch: 9,525 mm

Internal width: 5,72 mm

Roller Ø: 6,35 mm





Product No.	Dimensions (mm)				
	d	D	F	L	H
D-KRS 08 B-1 12T	10	33	16,6	23,8	31
D-KRS 08 B-1 13T	10	37	16,6	23,8	31
D-KRS 08 B-1 14T	10	42	16,6	23,8	31
D-KRS 08 B-1 15T	10	45	16,6	23,8	31
D-KRS 08 B-1 16T	10	49	16,6	23,8	31
D-KRS 08 B-1 17T	12	53	16,6	23,8	31
D-KRS 08 B-1 18T	12	57	16,6	23,8	31
D-KRS 08 B-1 19T	12	62	16,6	23,8	31
D-KRS 08 B-1 20T	12	66	16,6	23,8	31
D-KRS 08 B-1 21T	14	70	16,6	23,8	31
D-KRS 08 B-1 23T	14	78	16,6	23,8	31
D-KRS 08 B-1 24T	14	82	16,6	23,8	31
D-KRS 08 B-1 25T	14	86	16,6	23,8	31

Chain:

Pitch: 12,70 mm

Internal width: 7,75 mm

Roller Ø: 8,51 mm





Product No.	Dimensions (mm)				
	d	D	F	L	H
D-KRS 10 B-1 12T	12	45	18,1	27,3	36,5
D-KRS 10 B-1 13T	12	50	18,1	27,3	36,5
D-KRS 10 B-1 14T	12	55	18,1	27,3	36,5
D-KRS 10 B-1 15T	12	60	18,1	27,3	36,5
D-KRS 10 B-1 16T	14	65	18,1	27,3	36,5
D-KRS 10 B-1 17T	14	70	18,1	27,3	36,5
D-KRS 10 B-1 18T	14	75	18,1	27,3	36,5
D-KRS 10 B-1 19T	14	80	18,1	27,3	36,5
D-KRS 10 B-1 20T	14	85	18,1	27,3	36,5
D-KRS 10 B-1 21T	16	90	18,1	27,3	36,5
D-KRS 10 B-1 22T	16	95	18,1	27,3	36,5
D-KRS 10 B-1 23T	16	100	18,1	27,3	36,5
D-KRS 10 B-1 25T	16	110	18,1	27,3	36,5

Chain:

Pitch: 15,875 mm

Internal width: 9,650 mm

Roller Ø: 10,160 mm





Product No.	Dimensions (mm)				
	d	D	F	L	H
D-KRS 12 B-1 12T	14	53	22,8	33,9	45
D-KRS 12 B-1 13T	14	59	22,8	33,9	45
D-KRS 12 B-1 14T	14	65	22,8	33,9	45
D-KRS 12 B-1 15T	14	71	22,8	33,9	45
D-KRS 12 B-1 16T	14	77	22,8	33,9	45
D-KRS 12 B-1 17T	16	83	22,8	33,9	45
D-KRS 12 B-1 18T	16	89	22,8	33,9	45
D-KRS 12 B-1 19T	16	95	22,8	33,9	45
D-KRS 12 B-1 20T	16	101	22,8	33,9	45
D-KRS 12 B-1 21T	20	107	22,8	33,9	45
D-KRS 12 B-1 23T	20	119	22,8	33,9	45
D-KRS 12 B-1 25T	20	131	22,8	33,9	45

Chain:

Pitch: 19,05 mm

Internal width: 11,68 mm

Roller Ø: 12,07 mm



Product No.	Dimensions (mm)				
	d	D	F	L	H
D-KRS 16 B-1 13T	16	81	31,1	47,3	63,5
D-KRS 16 B-1 14T	16	89	31,1	47,3	63,5
D-KRS 16 B-1 15T	16	97	31,1	47,3	63,5
D-KRS 16 B-1 16T	20	105	31,1	47,3	63,5
D-KRS 16 B-1 17T	20	113	31,1	47,3	63,5
D-KRS 16 B-1 18T	20	121	31,1	47,3	63,5
D-KRS 16 B-1 19T	20	129	31,1	47,3	63,5
D-KRS 16 B-1 20T	20	137	31,1	47,3	63,5
D-KRS 16 B-1 21T	20	145	31,1	47,3	63,5
D-KRS 16 B-1 23T	20	161	31,1	47,3	63,5
D-KRS 16 B-1 25	20	177	31,1	47,3	63,5

Chain:

Pitch:	25,40 mm
Internal width:	17,02 mm
Roller Ø:	15,88 mm